

Review Article

Role of Metformin in Infection

Nibedita Rath*

Open Source Pharma Foundation, National Institute of Advanced Studies,
Indian Institute of Science Campus, Bangalore, 560012, India

Abstract

Metformin is the most extensively used type II diabetes drug which has shown probable usages in other disease domain in the capacity of an anticancer, anti-ageing, weight management, cardioprotective, neuroprotective etc. It has also been observed that metformin use is associated with reduced risk of hospital acquired infections. It has shown to be potent against multiple numbers of pathogens, which expand metformin scope from anti-diabetic to an anti-infective agent.

Discussion

French lilac, a perennial herb, was used during the Middle Ages or maybe earlier in managing diabetes. Guanidine saws isolated from *G. officinalis* which was shown to lower blood glucose level in the animal but found to be toxic. Metformin is one of the biguanide, first synthesized in 1929 and developed clinically in the late 1950s and was named Glucophage - "glucose eater". In 1994 it got FDA approval and became generic in 2002 making it one of the widely used and most affordable diabetes treatments. Metformin the most extensively used 1st line therapy for type II diabetes has distinguishable its application in dissimilar disease indication of late. The simple biguanide used for treating non-insulin-dependent diabetes mellitus reduces glucose production and uplift insulin mediated glucose uptake and this in turn decline glucose production. Metformin is unlike chemically and pharmacologically from groups of oral antidiabetic class of chemicals. Metformin is obtained in a one pot reaction by heating dimethylamine hydrochloride and 2-cyanoguanidine [1,2].

The laboratory method of preparation of Metformin is pretty simple and the yield is around 96%. An equimolar quantity of dimethylamine and 2-cyanoguanidine, when dissolved in toluene with cooling a concentrated solution is obtained to which an equimolar amount of HCl is added to obtained metformin hydrochloride. However,

*Corresponding author: Nibedita Rath, Open Source Pharma Foundation, National Institute of Advanced Studies, Indian Institute of Science Campus, Bangalore, 560012, India, Tel: (+91) 9900506286; E-mail: nibi2009@gmail.com

Citation: Rath N (2020) Role of Metformin in Infection. J Cell Biol Cell Metab 7: 019.

Received: December 23, 2019; Accepted: January 27, 2020; Published: February 03, 2020

Copyright: © 2020 Rath N. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Metformin Hydrochloride in a pure form, which is substantially free from impurities like melamine and cyanoguanidine, can be prepared in one pot. The dimethylamine hydrochloride is prepared in situ by purging dimethylamine gas into the water followed by treatment with HCl to get dimethylamine hydrochloride. Excess water is removed by distillation under vacuum followed by azeotropic distillation using xylene. Finally dicyandiamide (DCDA) is added into the flask and the reaction mass is heated up to 135-140°C for 5-10 hours to attained complete conversion. On completion of the reaction metformin is extracted into water and concentrated and cooled followed by centrifugation and finally a methanol wash resulted in pure metformin. Metformin lowers the glucose level and in turn improves insulin sensitivity [3]. Its epistasis effect has drawn much attention.

The common side effect associated with metformin treatment is mild gastric reflux which can be addressed by adjusting the doses basically starting a low dose and then increasing slowly. Another side effect lactic acidosis caused by metformin is rare. Many clinical benefits and minor side effect has made this antihyperglycemic agent a preferred combination drugs with other oral agents. It has been shown to decrease food intake [4] and body weight [3] in some studies. Moreover, this drug can positively influence lipid profile [3,5] and fatty liver [6], modulate inflammatory markers [7,8] and possibly reduce cancer risk [9] and of late in tuberculosis treatment [10].

Guanidines were isolated from goat's-rue, in the early 20th century and concede that it could lower blood glucose level in the animal but found to be toxic. Chemists started to have an alternate approach to make this compound more tolerable by bonding two guanidine together, forming biguanidine. The laboratory synthesis of metformin was first established in the year 1929. Jean Sterne, a French physician clinically developed it in the late 1950 and coined its name as Glucophage (glucose eater).

Phenformin and buformin, the other two biguanidine were also produced during the same time but withdrawn as both were associated with an unacceptably high incidence of lactic acidosis which was proven fatal.

Enough studies on metformin have been carried out in terms of its safety and efficacy. It was one of the landmark studies by UKPDC (United Kingdom Prospective Diabetes Study) [11] which placed metformin on the global map. This study has shown that Type II diabetic people who were under metformin treatment and who were obese and overweight lived longer and had fewer heart attacks than those under insulin or sulfonylurea treatment. Metformin got approved by FDA in 1994, assuring access to the rising star of diabetes to Americans. It became generic in the year 2002, making it one of the least expensive diabetic treatments.

It has been shown by various studies that AMPK signalling pathways is the key actuator of various metabolic pathways and it's a mechanistic knob of cellular energy homeostasis. Metformin activates this AMPK pathway by elevating phosphorylation at the Thr172 site. A high concentration of metformin has shown to inhibit the complex

I of the mitochondrial ETC (Electron Transport Chain) which in turn lead to uplifted ADP/ATP and AMP/ATP ratios [12].

Metformin mode of action has been gestated in three different modes

Mechanism of action through AMPK and mTORC1

Supratherapeutic concentration of metformin leads to inhibition of complex I of the mitochondrial ETC, which in turn elevate AMP concentration and suppress glucogenesis by inhibiting cAMP/PKA pathway. The elevated AMP: ATP ratio is the result of activation of AMPK pathway by allosteric activation AMPK protein. AMPK is the upstream target of mTOR. AMPK promotes catabolic response whereas mTOR promotes anabolic response. AMPK suppress mTORC1 activity by directly phosphorylating TSC2 tumour suppressor and mTORC1 binding subunit raptor and in turn down regulate pathways involving protein synthesis, cell survival, cell growth and proliferation [13].

Mechanism of action through LKB1

In this classical model metformin in its therapeutic concentration acts via tumour suppressor gene serine-threonine kinase LKB1 which is an upstream kinase activate AMPK pathway by phosphorylating it. AMPK pathway activation initiates autophagy and leads to inhibition of glucose production [14] via phosphorylation of the proteins CBP and CRT2.

Mechanism of action through AXIN

The inhibition of transmembrane protein ATPase is accomplished at the therapeutic concentration of metformin which increases AMP/ATP ratio and activates AMPK via allosteric activation and also promote AXIN-LKB1_ATPase, which ultimately leads to inhibition of mTORC1 [15].

Use of Metformin in Infection and avoid of Resistance

Pseudomonas aeruginosa pathogen affects patients with suppressed immunity. This leads to a number of infections including pneumonia, diabetic foot and urinary tract infections. Antibiotics are used to treat bacterial infection. However due to developed resistance and lack of new antibiotics, it is now a bare necessity to develop new therapeutic approaches to overcome antibiotic resistance. This can be addressed by interfering with the virulence of bacteria. Targeting virulence makes no stress on bacterial growth and can avoid the emergence of resistance. Many studies have shown that biofilm can shield pathogen from phagocytosis and also increase tolerance to drug treatment. The higher tolerance towards drug treatment is due to the result of slower growth rate and lower metabolic activity.

Metformin has been shown to be a novel quorum sensing inhibitor in PAO1 which encouraged it to be used as an anti-virulence agent in treatment of *Pseudomonas aeruginosa* infection [16]. Hydrolytic enzymes produce by *Pseudomonas aeruginosa* facilitate the spread of bacteria inside the host tissues and thereby developed resistance to host immunity. Some studies have reflected light on inhibition capacity of metformin on hemolysine, elastase and protease to different extents.

The Intervention of Metformin increase mitochondrial ROS (mROS) production which in turn turnoff mitochondrial complex I

(NADH dehydrogenase) [17] resulting in phagosome lysosome fusion and ultimately promote bacterial killing. Metformin has also shown to induce CD4 and CD8 T cells in the lung of mice infected with Mtb. Accumulation of CD4 and CD8 cells contribute towards the control of Mtb infection [10].

An in vitro and in vivo study by Chiaki Kajiwara et al has shown the immunomodulatory character of metformin in *L. pneumophila* infection. It has been demonstrated that metformin reduces the intracellular growth of bacteria via the AMPK pathway through mTOR activation [18].

Conclusion

Some research findings have suggested metformin to be potent against multiple numbers of pathogens, which expand metformin scope from anti-diabetic to anti-infective agent. The mechanistic pathways by which Metformin works have been discussed above. It should be studied in the clinical trial set up and implemented as an adjunct therapy in different hospital acquired infections if found efficacious.

References

1. Werner EA, Bell J (1922) CCXIV.-The preparation of methylguanidine, and of β -dimethylguanidine by the interaction of dicyanodiamide, and methylammonium and dimethylammonium chlorides respectively. *J Chem Soc Trans* 121: 1790-1794.
2. Shapiro SL, Parrino VA, Freedman L (1959) Hypoglycemic Agents. I. Chemical Properties of β -Phenethylbiguanide. A New Hypoglycemic Agent. *J Am Chem Soc* 81: 2220-2225.
3. Seifarth C, Schehler B, Schneider HJ (2013) Effectiveness of metformin on weight loss in non-diabetic individuals with obesity. *Exp Clin Endocrinol Diabetes* 121: 27-31.
4. Glueck CJ, Fontaine RN, Wang P, Subbiah MT, Weber K, et al. (2001) Metformin reduces weight, centripetal obesity, insulin, leptin, and low-density lipoprotein cholesterol in nondiabetic, morbidly obese subjects with body mass index greater than 30. *Metabolism* 50: 856-861.
5. Gokcel A, Gumurdulu Y, Karakose H, Melek Ertorer E, Tanaci N, et al. (2002) Evaluation of the safety and efficacy of sibutramine, orlistat and metformin in the treatment of obesity. *Diabetes Obes Metab* 4: 49-55.
6. Kita Y, Takamura T, Misu H, Ota T, Kurita S, et al. (2012) Metformin Prevents and Reverses Inflammation in a Non-Diabetic Mouse Model of Nonalcoholic Steatohepatitis. *PLOS ONE* 7: 43056.
7. Andrews M, Soto N, Arredondo M (2012) Effect of metformin on the expression of tumor necrosis factor- α , Toll like receptors 2/4 and C reactive protein in obese type-2 diabetic patients. *Rev Med Chil* 140: 1377-1382.
8. Nath N, Khan M, Paintlia MK, Singh I, Hoda MN, et al. (2009) Metformin attenuated the autoimmune disease of the central nervous system in animal models of multiple sclerosis. *J Immunol* 182: 8005-8014.
9. Giovannucci E, Harlan DM, Archer MC, Bergenstal RM, Gapstur SM, et al. (2010) Diabetes and cancer: a consensus report. *Diabetes Care* 33: 1674-1685.
10. Singhal A, Jie L, Kumar P, Hong GS, Leow MK, et al. (2014) Metformin as adjunct antituberculosis therapy. *Sci Transl Med* 6: 263ra159.
11. Turner RC (1998) The U.K. Prospective Diabetes Study. A review. *Diabetes Care* 3: 35-38.
12. Zhang CS, Hawley SA, Zong Y, Li M, Wang Z, et al. (2017) Fructose-1,6-bisphosphate and aldolase mediate glucose sensing by AMPK. *Nature* 548: 112-116.

13. Shaw RJ (2009) LKB1 and AMPK control of mTOR signalling and growth. *Acta Physiol* 196: 65-80.
14. Woods A, Johnstone SR, Dickerson K, Leiper FC, Fryer LG, et al. (2003) LKB1 is the upstream kinase in the AMP-activated protein kinase cascade. *Curr Biol* 13: 2004-2008.
15. Nguyen L, Chan SY, Teo AKK (2018) Metformin from mother to unborn child - Are there unwarranted effects? *EBioMedicine* 35: 394-404.
16. Abbas HA, Elsherbini AM, Shaldam MA (2017) Repurposing metformin as a quorum sensing inhibitor in *Pseudomonas aeruginosa*. *Afr Health Sci* 17: 808-819.
17. Owen MR, Doran E, Halestrap AP (2000) Evidence that metformin exerts its anti-diabetic effects through inhibition of complex 1 of the mitochondrial respiratory chain. *Biochem J* 348: 607-614.
18. Kajiwarra C, Kusaka Y, Kimura S, Yamaguchi T, Nanjo Y, et al. (2017) Metformin Mediates Protection against Legionella Pneumonia through Activation of AMPK and Mitochondrial Reactive Oxygen Species. *J Immunol* 204: 1-10.



- Advances In Industrial Biotechnology | ISSN: 2639-5665
- Advances In Microbiology Research | ISSN: 2689-694X
- Archives Of Surgery And Surgical Education | ISSN: 2689-3126
- Archives Of Urology
- Archives Of Zoological Studies | ISSN: 2640-7779
- Current Trends Medical And Biological Engineering
- International Journal Of Case Reports And Therapeutic Studies | ISSN: 2689-310X
- Journal Of Addiction & Addictive Disorders | ISSN: 2578-7276
- Journal Of Agronomy & Agricultural Science | ISSN: 2689-8292
- Journal Of AIDS Clinical Research & STDs | ISSN: 2572-7370
- Journal Of Alcoholism Drug Abuse & Substance Dependence | ISSN: 2572-9594
- Journal Of Allergy Disorders & Therapy | ISSN: 2470-749X
- Journal Of Alternative Complementary & Integrative Medicine | ISSN: 2470-7562
- Journal Of Alzheimers & Neurodegenerative Diseases | ISSN: 2572-9608
- Journal Of Anesthesia & Clinical Care | ISSN: 2378-8879
- Journal Of Angiology & Vascular Surgery | ISSN: 2572-7397
- Journal Of Animal Research & Veterinary Science | ISSN: 2639-3751
- Journal Of Aquaculture & Fisheries | ISSN: 2576-5523
- Journal Of Atmospheric & Earth Sciences | ISSN: 2689-8780
- Journal Of Biotech Research & Biochemistry
- Journal Of Brain & Neuroscience Research
- Journal Of Cancer Biology & Treatment | ISSN: 2470-7546
- Journal Of Cardiology Study & Research | ISSN: 2640-768X
- Journal Of Cell Biology & Cell Metabolism | ISSN: 2381-1943
- Journal Of Clinical Dermatology & Therapy | ISSN: 2378-8771
- Journal Of Clinical Immunology & Immunotherapy | ISSN: 2378-8844
- Journal Of Clinical Studies & Medical Case Reports | ISSN: 2378-8801
- Journal Of Community Medicine & Public Health Care | ISSN: 2381-1978
- Journal Of Cytology & Tissue Biology | ISSN: 2378-9107
- Journal Of Dairy Research & Technology | ISSN: 2688-9315
- Journal Of Dentistry Oral Health & Cosmesis | ISSN: 2473-6783
- Journal Of Diabetes & Metabolic Disorders | ISSN: 2381-201X
- Journal Of Emergency Medicine Trauma & Surgical Care | ISSN: 2378-8798
- Journal Of Environmental Science Current Research | ISSN: 2643-5020
- Journal Of Food Science & Nutrition | ISSN: 2470-1076
- Journal Of Forensic Legal & Investigative Sciences | ISSN: 2473-733X
- Journal Of Gastroenterology & Hepatology Research | ISSN: 2574-2566
- Journal Of Genetics & Genomic Sciences | ISSN: 2574-2485
- Journal Of Gerontology & Geriatric Medicine | ISSN: 2381-8662
- Journal Of Hematology Blood Transfusion & Disorders | ISSN: 2572-2999
- Journal Of Hospice & Palliative Medical Care
- Journal Of Human Endocrinology | ISSN: 2572-9640
- Journal Of Infectious & Non Infectious Diseases | ISSN: 2381-8654
- Journal Of Internal Medicine & Primary Healthcare | ISSN: 2574-2493
- Journal Of Light & Laser Current Trends
- Journal Of Medicine Study & Research | ISSN: 2639-5657
- Journal Of Modern Chemical Sciences
- Journal Of Nanotechnology Nanomedicine & Nanobiotechnology | ISSN: 2381-2044
- Journal Of Neonatology & Clinical Pediatrics | ISSN: 2378-878X
- Journal Of Nephrology & Renal Therapy | ISSN: 2473-7313
- Journal Of Non Invasive Vascular Investigation | ISSN: 2572-7400
- Journal Of Nuclear Medicine Radiology & Radiation Therapy | ISSN: 2572-7419
- Journal Of Obesity & Weight Loss | ISSN: 2473-7372
- Journal Of Ophthalmology & Clinical Research | ISSN: 2378-8887
- Journal Of Orthopedic Research & Physiotherapy | ISSN: 2381-2052
- Journal Of Otolaryngology Head & Neck Surgery | ISSN: 2573-010X
- Journal Of Pathology Clinical & Medical Research
- Journal Of Pharmacology Pharmaceutics & Pharmacovigilance | ISSN: 2639-5649
- Journal Of Physical Medicine Rehabilitation & Disabilities | ISSN: 2381-8670
- Journal Of Plant Science Current Research | ISSN: 2639-3743
- Journal Of Practical & Professional Nursing | ISSN: 2639-5681
- Journal Of Protein Research & Bioinformatics
- Journal Of Psychiatry Depression & Anxiety | ISSN: 2573-0150
- Journal Of Pulmonary Medicine & Respiratory Research | ISSN: 2573-0177
- Journal Of Reproductive Medicine Gynaecology & Obstetrics | ISSN: 2574-2574
- Journal Of Stem Cells Research Development & Therapy | ISSN: 2381-2060
- Journal Of Surgery Current Trends & Innovations | ISSN: 2578-7284
- Journal Of Toxicology Current Research | ISSN: 2639-3735
- Journal Of Translational Science And Research
- Journal Of Vaccines Research & Vaccination | ISSN: 2573-0193
- Journal Of Virology & Antivirals
- Sports Medicine And Injury Care Journal | ISSN: 2689-8829
- Trends In Anatomy & Physiology | ISSN: 2640-7752

Submit Your Manuscript: <http://www.heraldopenaccess.us/Online-Submission.php>