

Short Commentary

The Risk of Potential Drug-Drug Interactions in Patients Treated for SARS-CoV-2

Brandariz Nuñez David^{1*}, Correas Sanahuja Marcelo², and Martin-Herranz Isabel¹

¹Pharmacy Service, A Coruña University Hospital Complex (CHUAC), A Coruña, Spain

²Pharmacy Service, Sagrat Cor Hospital, Barcelona, Spain

Keywords: Potential drug-drug interaction; COVID 19; SARS-CoV-2; Lopinavir-ritonavir; Hydroxychloroquine

A year has passed since the detection of the first cases of pneumonia caused by the SARS-CoV-2 virus in the city of Wuhan, China. Since then, it has become a global pandemic with more than 100 million people infected and more than 2 million deaths [1]. At the beginning of the pandemic, there was no effective treatment or vaccine available to combat the respiratory infection caused by the virus, called COVID 19. For this reason, the initial treatment strategy was drugs with limited experience and evidence used in previous epidemics caused by viruses of the coronavirus family. In this direction, the drug regulatory agencies of each country, in our case, the Spanish Agency for Medicines and Health Products (AEMPS), issued recommendations for the diagnosis and treatment of COVID 19. The basis of the recommended treatment consisted of the combination of drugs with antiviral activity such as lopinavir/ritonavir (LPV/r), hydroxychloroquine (HCQ) and remdesivir and drugs with anti-inflammatory or immunomodulatory activity such as tocilizumab, interferon Beta-1b and anakinra, among others [2]. One of the main drawbacks related to these medications are their potential drug-drug interactions (pDDI), which can trigger adverse effects or decrease the effectiveness of treatments. On the other hand, the population most susceptible to suffering from pDDI are elderly patients with comorbidity and polypharmacy [3]. In turn, the risk factors associated with severe disease due to COVID 19 are age > 65 years and a previous

***Corresponding author:** Brandariz Nuñez David, Pharmacy Service, A Coruña University Hospital Complex (CHUAC), A Coruña, Spain, E-mail: vrandariz@gmail.com

Citation: Brandariz-Núñez D, Correas-Sanahuja M, Martin-Herranz I (2021) The Risk of Potential Drug-Drug Interactions in Patients Treated for SARS-CoV-2. J Clin Immunol Immunother 7: 059.

Received: February 15, 2021; **Accepted:** March 03, 2021; **Published:** March 10, 2021

Copyright: © 2021 Brandariz-Núñez D, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

pathological history such as cardiovascular disease [4]. Therefore, the activity performed by the clinical pharmacist in the surveillance and detection of pDDI has been of great importance in the prevention of drug-related problems.

One of the drugs most used initially against SARS-CoV-2 was LPV/r, a combination of antiretrovirals widely used in the treatment of HIV. Lopinavir has antiviral activity, while ritonavir acts as an enhancer, inhibiting metabolism and increasing plasma concentrations of lopinavir. It has a high profile of interactions due to the ability to modify the hepatic metabolism of other drugs, through the inhibition of CYP3A4 or induction of CYP2C9 and 2C19 and glucuronidation reactions, in addition to inhibiting transporter proteins such as P-glycoprotein [5]. HCQ was another drug used initially and associated with LPV/r, with in vitro antiviral activity against SARS-CoV-2 and with a high incidence of pDDI, mainly at the cardiac level, such as prolongation of the QT interval and increased risk of ventricular arrhythmia [6].

Throughout 2020, several studies have been carried out in two of the countries hardest hit by the first wave of the pandemic, Spain and Italy, with the aim of analyzing the pDDI associated with the experimental drugs used for the treatment of COVID 19 [7-10]. Our group was the first to evaluate the frequency of pDDI and identify the associated risk factors in a COVID 19 patient receiving LPV/r treatment. In our study, we included 364 patients with a pDDI rate of 62.3%, with 20.92% classified as risk X (medication contraindicated with LPV/r) and showing budesonide (inhaled route) and simvastatin as the drugs with the highest number of severe pDDI vs. LPV/r. Age > 65 years, stay in the critical care unit, previous respiratory and psychiatric pathology, dyslipidemia, and the number of drugs prescribed behaved as independent variables of presenting a pDDI associated with LPV/r [7]. In another subsequent study with 125 COVID 19 patients receiving LPV/r treatment, the authors observed a 78% prevalence of pDDI and a mortality associated only with the Charlson comorbidity index [8]. Another work by the Italian group by Cattaneo et al, evaluated the incidence of pDDI in a cohort that included 399 COVID 19 patients with at least 2 active treatments, showing an incidence of pDDI of 68%, with 55% classified as severe pDDI related mainly to HCQ and LPV/r. The proportion of patients with severe pDDI increased from 22% in the initial phase of admission to 80% during admission, with cardiovascular risk being the main secondary problem of pDDI [9]. Finally, we found a very interesting work by Martínez-López-de-Castro et al, who, in addition to determining the prevalence of pDDI of all the drugs used for the treatment of COVID 19 (HCQ, LPV/r, tocilizumab and interferon Beta 1b) evaluated the clinical repercussions of the same. The frequency of pDDI was 62.3%, produced mainly by LPV/r and HCQ. 5.7 % of the patients treated with HCQ and evaluated by electrocardiogram (ECG) presented significant clinical alteration of the QT interval. 7.3% had a non-cardiological adverse reaction possibly related to pDDI. Hyperglycemia, gastrointestinal disturbances, skin reactions, and increased sedative effect were the main clinical implications [10].

For the identification and recommendation of the pDDI, different check databases were used, available on platforms such as <https://covid19-druginteractions.org/>. This website created and promoted during the pandemic by the University of Liverpool, a leading entity in the screening and recommendation of pDDI in HIV patients, is a useful tool for the management of pDDI in COVID 19 patients. But the use of databases to pDDI identification is not without limitations. In the screening of interactions, clinical pharmacists found slight discrepancies between reference databases, for example, in the severity or risk level of the interaction, which makes it difficult to establish recommendations. On the other hand, some databases detect interactions only between drug pairs, while the interaction screening must be carried out for the complete treatment of the patient, because there are drug combinations that may have an unaccounted summation pharmacodynamic effect, such as prolongation of the QT interval.

In conclusion, drugs with a high incidence of pDDI used in the treatment of COVID 19 should be evaluated and reviewed by the clinical pharmacist in order to establish recommendations to reduce drug-related problems associated with pDDI, to the extent of as possible.

Acknowledgment

We would like to thank to Fundación Professor Novoa Santos (A Coruña) for providing us the technical, ethical and legal advice necessary for the development of our research.

References

1. Zhu N, Zhnag D, Wang W, Li X, Yang B, et al. (2020) A Novel Coronavirus from Patients with Pneumonia in China, 2019. *N Engl J Med* 382: 727-733.
2. Barlow A, Landolf KM, Barlow B, Yeung SYA, Heavner JJ, et al. (2019) Review of Emerging Pharmacotherapy for the Treatment of Coronavirus Disease 2019. *Pharmacotherapy* 40: 416-437.
3. Rodrigues MC, Oliveira CD (2016) Drug-drug interactions and adverse drug reactions in polypharmacy among older adults: an integrative review. *Rev Lat Am Enfermagem* 24: e2800.
4. Zhou F, Yu T, Du R, Fan G, Liu Y, et al. (2020) Clinical course and risk factors for mortality of adult inpatients with COVID-19 in Wuhan, China: A retrospective cohort study. *Lancet* 395: 1054-1062.
5. Oldfield V, Plosker GL (2006) Lopinavir/ritonavir: A review of its use in the management of HIV infection. *Drugs* 66: 1275-1299.
6. Ross SB, Wilson MG, Papillon-Ferland L, Elsayed S, Wu PE, et al. (2020) COVID-SAFER: Deprescribing Guidance for Hydroxychloroquine Drug Interactions in Older Adults. *J Am Geriatr Soc* 68: 1636-1646.
7. Brandariz-Núñez D, Correas-Sanahuja M, Guarc E, Picón R, García B, et al. (2020) Potential drug-drug interactions in COVID 19 patients in treatment with lopinavir/ritonavir. *Med Clin* 155: 281-287.
8. Macías J, Pinilla A, Lao-Dominguez FA, Corma A, Contreras-Macias E, et al. (2020) High rate of major drug-drug interactions of lopinavir-ritonavir for COVID-19 treatment. *Sci Rep* 10: 20958.
9. Cattaneo D, Pasina L, Maggioni AP, Giacomelli A, Oreni L, et al. (2020) Drug-Drug Interactions and Prescription Appropriateness in Patients with COVID-19: A Retrospective Analysis from a Reference Hospital in Northern Italy. *Drugs Aging* 37: 925-933.
10. Martínez-López-de-Castro N, Samartín-Ucha M, Paradela-Carreiro A, Pérez-Landeiro A, Inaraja-Bobo MT, et al. (2020) Real-world prevalence and consequences of potential drug-drug interactions in the first-wave COVID-19 treatments. *J Clin Pharm Ther* 2020: 1-7.



- Advances In Industrial Biotechnology | ISSN: 2639-5665
- Advances In Microbiology Research | ISSN: 2689-694X
- Archives Of Surgery And Surgical Education | ISSN: 2689-3126
- Archives Of Urology
- Archives Of Zoological Studies | ISSN: 2640-7779
- Current Trends Medical And Biological Engineering
- International Journal Of Case Reports And Therapeutic Studies | ISSN: 2689-310X
- Journal Of Addiction & Addictive Disorders | ISSN: 2578-7276
- Journal Of Agronomy & Agricultural Science | ISSN: 2689-8292
- Journal Of AIDS Clinical Research & STDs | ISSN: 2572-7370
- Journal Of Alcoholism Drug Abuse & Substance Dependence | ISSN: 2572-9594
- Journal Of Allergy Disorders & Therapy | ISSN: 2470-749X
- Journal Of Alternative Complementary & Integrative Medicine | ISSN: 2470-7562
- Journal Of Alzheimers & Neurodegenerative Diseases | ISSN: 2572-9608
- Journal Of Anesthesia & Clinical Care | ISSN: 2378-8879
- Journal Of Angiology & Vascular Surgery | ISSN: 2572-7397
- Journal Of Animal Research & Veterinary Science | ISSN: 2639-3751
- Journal Of Aquaculture & Fisheries | ISSN: 2576-5523
- Journal Of Atmospheric & Earth Sciences | ISSN: 2689-8780
- Journal Of Biotech Research & Biochemistry
- Journal Of Brain & Neuroscience Research
- Journal Of Cancer Biology & Treatment | ISSN: 2470-7546
- Journal Of Cardiology Study & Research | ISSN: 2640-768X
- Journal Of Cell Biology & Cell Metabolism | ISSN: 2381-1943
- Journal Of Clinical Dermatology & Therapy | ISSN: 2378-8771
- Journal Of Clinical Immunology & Immunotherapy | ISSN: 2378-8844
- Journal Of Clinical Studies & Medical Case Reports | ISSN: 2378-8801
- Journal Of Community Medicine & Public Health Care | ISSN: 2381-1978
- Journal Of Cytology & Tissue Biology | ISSN: 2378-9107
- Journal Of Dairy Research & Technology | ISSN: 2688-9315
- Journal Of Dentistry Oral Health & Cosmesis | ISSN: 2473-6783
- Journal Of Diabetes & Metabolic Disorders | ISSN: 2381-201X
- Journal Of Emergency Medicine Trauma & Surgical Care | ISSN: 2378-8798
- Journal Of Environmental Science Current Research | ISSN: 2643-5020
- Journal Of Food Science & Nutrition | ISSN: 2470-1076
- Journal Of Forensic Legal & Investigative Sciences | ISSN: 2473-733X
- Journal Of Gastroenterology & Hepatology Research | ISSN: 2574-2566
- Journal Of Genetics & Genomic Sciences | ISSN: 2574-2485
- Journal Of Gerontology & Geriatric Medicine | ISSN: 2381-8662
- Journal Of Hematology Blood Transfusion & Disorders | ISSN: 2572-2999
- Journal Of Hospice & Palliative Medical Care
- Journal Of Human Endocrinology | ISSN: 2572-9640
- Journal Of Infectious & Non Infectious Diseases | ISSN: 2381-8654
- Journal Of Internal Medicine & Primary Healthcare | ISSN: 2574-2493
- Journal Of Light & Laser Current Trends
- Journal Of Medicine Study & Research | ISSN: 2639-5657
- Journal Of Modern Chemical Sciences
- Journal Of Nanotechnology Nanomedicine & Nanobiotechnology | ISSN: 2381-2044
- Journal Of Neonatology & Clinical Pediatrics | ISSN: 2378-878X
- Journal Of Nephrology & Renal Therapy | ISSN: 2473-7313
- Journal Of Non Invasive Vascular Investigation | ISSN: 2572-7400
- Journal Of Nuclear Medicine Radiology & Radiation Therapy | ISSN: 2572-7419
- Journal Of Obesity & Weight Loss | ISSN: 2473-7372
- Journal Of Ophthalmology & Clinical Research | ISSN: 2378-8887
- Journal Of Orthopedic Research & Physiotherapy | ISSN: 2381-2052
- Journal Of Otolaryngology Head & Neck Surgery | ISSN: 2573-010X
- Journal Of Pathology Clinical & Medical Research
- Journal Of Pharmacology Pharmaceutics & Pharmacovigilance | ISSN: 2639-5649
- Journal Of Physical Medicine Rehabilitation & Disabilities | ISSN: 2381-8670
- Journal Of Plant Science Current Research | ISSN: 2639-3743
- Journal Of Practical & Professional Nursing | ISSN: 2639-5681
- Journal Of Protein Research & Bioinformatics
- Journal Of Psychiatry Depression & Anxiety | ISSN: 2573-0150
- Journal Of Pulmonary Medicine & Respiratory Research | ISSN: 2573-0177
- Journal Of Reproductive Medicine Gynaecology & Obstetrics | ISSN: 2574-2574
- Journal Of Stem Cells Research Development & Therapy | ISSN: 2381-2060
- Journal Of Surgery Current Trends & Innovations | ISSN: 2578-7284
- Journal Of Toxicology Current Research | ISSN: 2639-3735
- Journal Of Translational Science And Research
- Journal Of Vaccines Research & Vaccination | ISSN: 2573-0193
- Journal Of Virology & Antivirals
- Sports Medicine And Injury Care Journal | ISSN: 2689-8829
- Trends In Anatomy & Physiology | ISSN: 2640-7752

Submit Your Manuscript: <https://www.heraldopenaccess.us/submit-manuscript>