



Commentary

Protecting Older Adults of Sri Lanka Amid COVID-19

Keshini Madara Marasinghe*

University of Waterloo, Waterloo, Canada

Abstract

Older adults over 60 are at a higher risk of getting severely sick and dying from COVID-19. Sri Lanka has one of the fastest aging populations in South and South-East Asia. In addition to having a rapidly aging population, Sri Lanka is a developing country with limited resources to accommodate the older population that can be significantly affected by COVID-19. Statistics up to date show that older adults are at a much higher risk of dying from COVID-19. Older adults being at a much higher risk of contracting and dying from COVID-19 has important implications for the way in which public health and clinical responses should be developed. These implications have been largely overlooked in both high and low- and middle-income countries when providing guidance and implementing regulations, which can have a greater impact in low- and middle-income countries. The preparedness of the healthcare systems to respond to the pandemic, with a lack of facilities, resources (i.e., ventilators) and staff in the healthcare system, specifically in hospitals, intensive care units, and long-term care homes is a concern that should be taken into consideration when clinical responses are developed. Challenges around protecting community-dwelling older adults who are caregivers to grandchildren, receiving informal care from children in the same household, living in remote areas, or living alone or dependent on others need to be taken into consideration when developing public health responses.

Keywords: COVID-19; Developing countries; Low- and middle-income countries; Novel coronavirus; Older adults; South East Asia; Sri Lanka; 2019-nCoV

List of Abbreviations

COVID-19: Coronavirus Disease 2019

LTCs: Long-Term Care Homes

LMICs: Low- and Middle-Income Countries

NCDs: Non-Communicable Diseases

*Corresponding author: Keshini Madara Marasinghe, University of Waterloo, Waterloo, Canada, E-mail: kmmarasi@uwaterloo.ca

Citation: Marasinghe KM (2020) Protecting Older Adults of Sri Lanka Amid COVID-19. J Gerontol Geriatr Med 6: 068.

Received: August 02, 2020; **Accepted:** August 15, 2020; **Published:** August 21, 2020

Copyright: © 2020 Marasinghe KM. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

NGOs: Non-Governmental Organizations

Background

Older adults over 60 are at a higher risk of getting severely sick and dying from Coronavirus disease 2019 (COVID-19) [1,2]. Sri Lanka has one of the fastest aging populations in South and South-East Asia [3]. In 2015, the population over 60 years was 13% of the total population [4]. According to The World Bank, 10.47% of the Sri Lankan population was 65 years and above in 2018, which is approximately 2.27 million people [5]. In addition to having a rapidly aging population, Sri Lanka is a developing country with limited resources to accommodate the older population that can be significantly affected by COVID-19. As of August 13, 2020, Sri Lanka has 2,882 COVID-19 cases and 11 deaths since the first confirmed case on January 27, 2020, where close to half of the deaths (45.5%) have been above the age of 60 [6]. Statistics up to date show that older adults are at a much higher risk of dying from COVID-19. Older adults being at a much higher risk of contracting and dying from COVID-19 has important implications for the way in which public health and clinical responses should be developed [2]. These implications have been largely overlooked in both high and Low- and Middle-Income Countries (LMICs) when providing guidance and implementing regulations, which can have a greater impact in LMICs [2]. This commentary addresses concerns and points to consider that are specific to Sri Lanka when developing public health and clinical responses to protect older adults from COVID-19.

Health Systems

The first concern is the preparedness of healthcare systems in Sri Lanka to respond to a pandemic. Long-Term Care Homes (LTCs) and similar facilities that care for older adults in Sri Lanka are not as well-regulated and at an equal standard when compared with high-income countries. Most of the LTCs lack necessary multidisciplinary staff and/or financial resources that are needed to take care of older adults who need continuous care [7]. Some LTCs in Sri Lanka lack basic requirements that would allow older adults to keep a distance within the home such as individual rooms. In some long-term care homes, all older adults sleep in the same hall in separate beds, not separated by walls. Therefore, LTCs in Sri Lanka do not have advanced facilities as those of high-income countries to immediately respond to a COVID-19 surge and measures should be taken to meet the unique needs of each long-term care home [2]. In high-income countries, there is already evidence of COVID-19 widely compromising nursing home residents [2]. The risk of COVID-19 spreading fast in under-developed LTCs in Sri Lanka could be significant if appropriate measures are not taken in time. Some of the measures that LTCs in Sri Lanka can adopt as examples from the rest of world are discussed next.

Some countries have been taking measures to restrict visits to LTCs and similar facilities to only “essential” visits, where “essential” visits mean allowing family visits in end of life or critically ill situations [8]. While this is a difficult arrangement for family members and residents, at this time, limiting visits can contribute to saving the lives

of older adults in LTCs until better measures can be established (i.e., provision of Personal Protective Equipment (PPE) for visitors that are similar to the PPE healthcare workers use). However, it is important to remember to maintain the quality of lives of older adults while they are distanced from their families through means such as using available technologies to help them stay in touch with their family members. In addition to restricting visits, it is essential to actively screen long-term care home staff and residents, which includes checking for symptoms and gathering information about travel history and contacts [9]. It is also crucial to instruct all staff to self-screen at home and not to attend work if any symptoms are present and report symptoms [9]. All staff must be educated of early signs and symptoms of COVID-19 in order to prevent unnecessary exposure and spread among the most vulnerable older adults. In addition to educating staff, it is important to also educate the residents to strictly follow precautionary measures.

Similarly, hospitals and intensive care units can face greater challenges due to the increased demand for healthcare services caused by COVID-19. Complications from COVID-19 require respiratory support and a large number of patients who require respiratory support are likely to be older adults [2]. Some hospitals in Sri Lanka face ventilator and capacity shortages on just regular days and are unable to meet the demand. Therefore, hospitals could be facing difficulties in meeting even higher demands during a pandemic [7]. The government and policy makers would need to take into account the limitations of the current healthcare system and prepare for potential difficulties that the healthcare system could face when planning and evaluating regulations and policies that are being implemented to contain COVID-19. Above all, it is imperative that Sri Lanka takes immediate preventive measures discussed here as well as additional measures to prevent a potential unbearable burden that COVID-19 could bring to the healthcare system [10].

Community

The next concern is around protecting community-dwelling older adults. It should be noted that there are common family dynamics unique to Sri Lanka. One of them is grandparents taking care of grandchildren, which provides an added risk of exposure for older adults as caregiving lifestyles make it impossible for them to self-quarantine or keep a distance from possibly exposed individuals [2]. Providing parents of these families options for alternative child care methods, or providing flexibility and relief around work hours can be helpful in reducing the risk of exposure to older adults in this kind of a family dynamic. Another family dynamic that is common in Sri Lanka is informal care that older adults receive, where older adults are looked after by their adult children in the same household rather than admitting them to LTCs or similar facilities unless long-term care home admission is absolutely necessary. A majority of older adults live in the community with or close to their children and receive informal care from their children. Informal caregivers should be prepared to plan for alternative care in case the primary caregiver falls ill or gets exposed to the virus [2]. Informal caregivers should also be educated and made aware of preventive measures that they must follow in order to reduce the risk of exposure (i.e., frequently washing hands, wearing masks, disinfecting surfaces and groceries and keeping a distance between adults/children and older adults in the same household). Because of these widely interactive family dynamics, the risk of exposure to community-dwelling older adults is

much higher and therefore preventive measures are crucial to lessen the risk of exposure among community-dwelling older adults.

When responding to the pandemic, it is important that governments pay special attention to community-dwelling older adults who are living alone and are in remote areas. Any response developed to limit the spread of COVID-19, must be extended and adjusted to meet the needs of these most vulnerable older adults living in the community [2]. For example, if one of the responses by the government is regional lockdown, the government has to consider how the lockdown is affecting community-dwelling older adults who are living alone or dependent on others for care and support and modify and extend the responses to accommodate them. These older adults may be at risk of having limited access to food and other essential supplies if the country decides to take longer and extensive quarantine measures [2]. In remote areas of the country, older adults are likely to go to the stores by themselves, potentially increasing their risk of exposure, especially in high risk areas. Appropriate actions such as delivering essential supplies to their households can help these older adults immensely. The government can also assist these vulnerable older adults through the use of emergency relief and public assistance programs in collaboration with the Ministry of Social Services and Ministry of Health, and by further working with Non-Governmental Organizations (NGOs) such as HelpAge Sri Lanka, who are key stakeholders in assisting the aging population in Sri Lanka.

In addition, policymakers must remember that a large number of older people may be uninformed and may not have access to adequate information on prevention and precautionary methods (i.e., how to use a face mask, follow physical distancing, wash hands and use hand sanitizer) [2]. These older adults must be given special attention and provided with adequate information with the involvement of volunteers or health educators. Moreover, it is important to educate all citizens to look out for older adults who may be living alone while following physical distancing and other guidelines.

While the entire world is acting fast to fight COVID-19, it is important to pay special attention to vulnerable populations around the world. While protecting older adults from COVID-19 is receiving a significant amount of attention around the world, taking actions to lower the risk of exposure to older adults can be difficult in different environments such as in developing countries due to the lack of resources. Sri Lanka is one example of developing countries with a rapidly aging population, where if preventive measures are not taken in time, community-dwelling older adults as well as older adults in healthcare facilities can be significantly affected by COVID-19. For a developing country with a large population of older adults, the weight of a heavy demand due to a COVID-19 surge can be unbearable. Therefore, it is imperative that policymakers, governments and healthcare workers pay attention to the shortcomings and challenges within the country, so that effective measures that are most applicable to the environment can be implemented.

Conclusion

Older adults being at a much higher risk of contracting and dying from COVID-19 has important implications for the way in which public health and clinical responses should be developed.

There are few points to consider that are specific to Sri Lanka when developing public health and clinical responses to protect older adults from COVID-19. The preparedness of the healthcare systems to respond to the pandemic, with a lack of facilities, resources (i.e., ventilators) and staff in the healthcare system, specifically in hospitals, intensive care units and long-term care homes is a concern that should be taken into consideration when clinical responses are developed. Challenges around protecting community-dwelling older adults who are caregivers to grandchildren, receiving informal care from children in the same household, living in remote areas, or living alone or dependent on others must be taken into consideration in public health responses. The use of emergency relief and public assistance programs in collaboration with the Ministry of Social Services and Ministry of Health and working with NGOs such as HelpAge Sri Lanka, who are key stakeholders in assisting the aging population in Sri Lanka can help the country keep its aging population safe from COVID-19.

Authors' Contributions

KMM was responsible for gathering data and writing the commentary.

Acknowledgement

This manuscript has been released as a pre-print at Sage Submissions, Marasinghe, Keshini Madara (2020).

References

1. World Health Organization (2020) Coronavirus disease (COVID-2019) situation reports. WHO, Geneva, Switzerland.
2. Lloyd-Sherlock P, Ebrahim S, Geffen L, McKee M (2020) Bearing the brunt of covid-19: Older people in low and middle income countries. *BMJ* 368: 1052.
3. United Nations ESCAP (2016) SDD-SPPS project working papers series: Long-term care for older person in Asia and the Pacific. Long-term Care of Older Persons in Sri Lanka. United Nations ESCAP, Bangkok, Thailand.
4. United Nations (2015). World Population Ageing (2015). United Nations, New York, USA.
5. The World Bank (2019) Population ages 65 and above (% of total population). The World Bank Washington, D.C., USA.
6. Epidemiology Unit Ministry of Health (2020) Novel Coronavirus (2019-nCoV) - Situation Report. Epidemiology Unit Ministry of Health.
7. Asian Development Bank (2019) Health and Long-Term Care for the Elderly. Asian Development Bank. Manila, Philippines.
8. The Canadian Press (2020) Ontario severely restricts visitors to long-term care homes. The Canadian Press, Toronto, Canada.
9. Ministry of Health Ontario (2020) Novel Coronavirus (COVID-19) Fact Guidance for Long-Term Care. Ministry of Health. Ontario, Canada.
10. Marasinghe KM (2020) Protecting older adults of Sri Lanka amid COVID-19. Sage Submissions.



- Advances In Industrial Biotechnology | ISSN: 2639-5665
- Advances In Microbiology Research | ISSN: 2689-694X
- Archives Of Surgery And Surgical Education | ISSN: 2689-3126
- Archives Of Urology
- Archives Of Zoological Studies | ISSN: 2640-7779
- Current Trends Medical And Biological Engineering
- International Journal Of Case Reports And Therapeutic Studies | ISSN: 2689-310X
- Journal Of Addiction & Addictive Disorders | ISSN: 2578-7276
- Journal Of Agronomy & Agricultural Science | ISSN: 2689-8292
- Journal Of AIDS Clinical Research & STDs | ISSN: 2572-7370
- Journal Of Alcoholism Drug Abuse & Substance Dependence | ISSN: 2572-9594
- Journal Of Allergy Disorders & Therapy | ISSN: 2470-749X
- Journal Of Alternative Complementary & Integrative Medicine | ISSN: 2470-7562
- Journal Of Alzheimers & Neurodegenerative Diseases | ISSN: 2572-9608
- Journal Of Anesthesia & Clinical Care | ISSN: 2378-8879
- Journal Of Angiology & Vascular Surgery | ISSN: 2572-7397
- Journal Of Animal Research & Veterinary Science | ISSN: 2639-3751
- Journal Of Aquaculture & Fisheries | ISSN: 2576-5523
- Journal Of Atmospheric & Earth Sciences | ISSN: 2689-8780
- Journal Of Biotech Research & Biochemistry
- Journal Of Brain & Neuroscience Research
- Journal Of Cancer Biology & Treatment | ISSN: 2470-7546
- Journal Of Cardiology Study & Research | ISSN: 2640-768X
- Journal Of Cell Biology & Cell Metabolism | ISSN: 2381-1943
- Journal Of Clinical Dermatology & Therapy | ISSN: 2378-8771
- Journal Of Clinical Immunology & Immunotherapy | ISSN: 2378-8844
- Journal Of Clinical Studies & Medical Case Reports | ISSN: 2378-8801
- Journal Of Community Medicine & Public Health Care | ISSN: 2381-1978
- Journal Of Cytology & Tissue Biology | ISSN: 2378-9107
- Journal Of Dairy Research & Technology | ISSN: 2688-9315
- Journal Of Dentistry Oral Health & Cosmesis | ISSN: 2473-6783
- Journal Of Diabetes & Metabolic Disorders | ISSN: 2381-201X
- Journal Of Emergency Medicine Trauma & Surgical Care | ISSN: 2378-8798
- Journal Of Environmental Science Current Research | ISSN: 2643-5020
- Journal Of Food Science & Nutrition | ISSN: 2470-1076
- Journal Of Forensic Legal & Investigative Sciences | ISSN: 2473-733X
- Journal Of Gastroenterology & Hepatology Research | ISSN: 2574-2566
- Journal Of Genetics & Genomic Sciences | ISSN: 2574-2485
- Journal Of Gerontology & Geriatric Medicine | ISSN: 2381-8662
- Journal Of Hematology Blood Transfusion & Disorders | ISSN: 2572-2999
- Journal Of Hospice & Palliative Medical Care
- Journal Of Human Endocrinology | ISSN: 2572-9640
- Journal Of Infectious & Non Infectious Diseases | ISSN: 2381-8654
- Journal Of Internal Medicine & Primary Healthcare | ISSN: 2574-2493
- Journal Of Light & Laser Current Trends
- Journal Of Medicine Study & Research | ISSN: 2639-5657
- Journal Of Modern Chemical Sciences
- Journal Of Nanotechnology Nanomedicine & Nanobiotechnology | ISSN: 2381-2044
- Journal Of Neonatology & Clinical Pediatrics | ISSN: 2378-878X
- Journal Of Nephrology & Renal Therapy | ISSN: 2473-7313
- Journal Of Non Invasive Vascular Investigation | ISSN: 2572-7400
- Journal Of Nuclear Medicine Radiology & Radiation Therapy | ISSN: 2572-7419
- Journal Of Obesity & Weight Loss | ISSN: 2473-7372
- Journal Of Ophthalmology & Clinical Research | ISSN: 2378-8887
- Journal Of Orthopedic Research & Physiotherapy | ISSN: 2381-2052
- Journal Of Otolaryngology Head & Neck Surgery | ISSN: 2573-010X
- Journal Of Pathology Clinical & Medical Research
- Journal Of Pharmacology Pharmaceutics & Pharmacovigilance | ISSN: 2639-5649
- Journal Of Physical Medicine Rehabilitation & Disabilities | ISSN: 2381-8670
- Journal Of Plant Science Current Research | ISSN: 2639-3743
- Journal Of Practical & Professional Nursing | ISSN: 2639-5681
- Journal Of Protein Research & Bioinformatics
- Journal Of Psychiatry Depression & Anxiety | ISSN: 2573-0150
- Journal Of Pulmonary Medicine & Respiratory Research | ISSN: 2573-0177
- Journal Of Reproductive Medicine Gynaecology & Obstetrics | ISSN: 2574-2574
- Journal Of Stem Cells Research Development & Therapy | ISSN: 2381-2060
- Journal Of Surgery Current Trends & Innovations | ISSN: 2578-7284
- Journal Of Toxicology Current Research | ISSN: 2639-3735
- Journal Of Translational Science And Research
- Journal Of Vaccines Research & Vaccination | ISSN: 2573-0193
- Journal Of Virology & Antivirals
- Sports Medicine And Injury Care Journal | ISSN: 2689-8829
- Trends In Anatomy & Physiology | ISSN: 2640-7752

Submit Your Manuscript: <https://www.heraldopenaccess.us/submit-manuscript>