

Review Article

Development of a Human Pluripotency Sensor for Real-Time Cell Imaging and Biomedical Applications

Myung Rae Park¹, Young-Tae Chang^{2,3} and Jeong Beom Kim^{1*}

¹School of Life Sciences, Ulsan National Institute of Science and Technology (UNIST), Ulsan, South Korea

²Department of Chemistry, Pohang University of Science and Technology (POSTECH), Pohang, South Korea

³Center for Self-assembly and Complexity, Institute for Basic Science (IBS), Pohang, South Korea

Abstract

Human Pluripotent Stem Cells (hPSCs) are an essential cell source for regenerative medicine. With the increasing importance of hPSCs for cell-based therapy, the need for hPSCs in basic and clinical research is to develop live-cell imaging systems that monitor hPSCs during reprogramming or differentiation processes. For applying live-cell imaging systems, small fluorescent molecules have been developed as BODIPY-based library compounds by the Diversity-Oriented Fluorescent Library (DOFL) approach. Recently, we identified a new pluripotency sensor (SHI5) from the BODIPY-based library compounds by the DOFL approach. We demonstrated that SHI5 was able to detect live cells that gain the pluripotency in the reprogramming process without any effect on their viability. We also observed the internalization of SHI5 through the clathrin-mediated endocytosis pathway. This article aims to overview of PSC-specific fluorescent probes designed by the DOFL approach, and discusses the potential of cell-specific small fluorescent molecules as a tool for understanding the mechanism of a biological process as well as clinical application.

Keywords: BODIPY; DOFL; Human pluripotency sensor; Real-time imaging

*Corresponding author: Jeong Beom Kim, School of Life Sciences, Ulsan National Institute of Science and Technology (UNIST), Ulsan, South Korea, Tel: +82 522175201, +82 1083515085; E-mail: jbkim@unist.ac.kr

Citation: Park MR, Chang YT, Kim JB (2020) Development of a Human Pluripotency Sensor for Real-Time Cell Imaging and Biomedical Applications. J Stem Cell Res Dev Ther 6: 055.

Received: October 28, 2020; **Accepted:** November 10, 2020; **Published:** November 17, 2020

Copyright: © 2020 Park MR, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

Introduction

Reprogramming somatic cells into patient-specific human induced Pluripotent Stem Cells (hiPSCs) is considered to be a powerful strategy for regenerative medicine and drug development [1]. Human Pluripotent Stem Cells (hPSCs), including Embryonic Stem Cells (ESCs) and iPSCs, are essential cell sources for regenerative medicine due to their ability to self-renew and to differentiate into many cell types. For application in cell-based therapy and drug screening, hPSCs require additional differentiation step for the desired cells [2]. Although precise isolation of pure hPSCs is inevitable for the treatment of complex diseases and drug development, there still remains no effective way to monitor somatic cells being reprogrammed as stem cells or differentiated into desired cells. Conventional methods of detecting hPSCs use antibodies that recognize stem cell-specific markers [3], or genetically modified cells that express fluorescent proteins by activation promoters of hPSC-specific genes [4,5]. These methods may not be suitable for the clinical approach, even if demonstrated in several studies.

Fluorescent-conjugated small molecules have been utilized as sensors and probes for live-cell imaging [6,7]. The fluorescent probes are highly permeable, sensitive to specific targets, such as molecules and cells, and biologically safe. Recently, for real-time visualization of PSCs, PSC-specific fluorescent molecules have been developed from a Diversity-Oriented Fluorescence Library (DOFL), which consists of structural diversity of fluorescent compounds synthesized by combinatorial chemistry [7-13]. In our previous study, we demonstrated a highly selective pluripotency sensor (named as selective human pluripotency indicator 5, SHI5) in human PSCs developed by the DOFL approach [13]. This review will discuss the DOFL approach to develop PSC-specific fluorescent molecules and the study of biological processes, as well as the utilization of cell-specific small fluorescent molecules in clinical applications.

Diversity-Oriented Fluorescence Library

Previous studies discussed two main methods for the development of fluorescent compounds for live-cell imaging [14]. The Target-Oriented Approach (TOA) was widely used to develop small fluorescent molecules, such as probes and sensors as one of the methods. The TOA is applied to construct a fluorescent molecule by binding a fluorophore to a target recognition motif through a linker. The target recognition motif is designed based on knowledge of target identity and structure. For this reason, the TOA for fluorescent molecule development is interrupted due to a lack of target information.

In contrast to TOA, the “diversity-driven approach” builds fluorescence libraries developed for unbiased screening. The Diversity-Oriented Fluorescence Library (DOFL) approach is utilized for high-throughput screening of unique sensors and probes that synthesized various fluorescent scaffolds linked with diversity target motifs by combinatorial chemistry. In this section, a summary of the PSC-specific fluorescence molecules developed by the DOFL approach is provided in table 1.

Probe name	Chemical class	Optical wavelength ($\lambda_{ex}/\lambda_{em}$)	Target cell type	Reference
CDy1	Rosamine	535/570	mESC, miPSC, hESC, hiPSC	[8]
CDb8	Xanthone	369/487	mESC	[9]
Cdg4	Chalcone	430/560	mESC	[10]
CDy9	BODIPY	563/578	mESC, miPSC	[11]
KP-1	Rosamine	515/529	hESC, hiPSC	[12]
SHI5	BODIPY	595/656	hESC, hiPSC	[13]

Table 1: Summary of PSC-specific probes from DOFL.

mouse Embryonic Stem Cell, mESC; mouse induced Pluripotent Stem Cell, miPSC; human Embryonic Stem Cell, hESC; human induced Pluripotent Stem Cell, hiPSC

Discovery of a Human Pluripotency Sensor from BODIPY-Based Library via DOFL Approach

For clinical application, hPSCs need a non-invasive live-cell imaging tool to monitor their pluripotency in the reprogramming process. hPSCs need to be precisely isolated during the differentiation steps of desired cells to provide cells for transplantation or drug test [2]. Previously, the DOFL approach developed PSC-specific fluorescent molecules from various fluorescent molecule libraries for real-time visualization of PSCs [7-13]. Several studies have demonstrated that the modification of these compounds eliminates the risk of tumorigenicity of hPSCs after transplantation [15,16].

Among the fluorescent molecules from the DOFL, hPSC-specific fluorescent molecules that based on BODIPY (4,4-difluoro-4-bora-3a,4a-diaza-s-indacene) scaffolds are relatively rare. BODIPY dyes show a wide range of optical properties and are highly stable and permeable fluorescent scaffold [17]. BODIPY-conjugated fluorescent molecules have been commonly used to monitor intracellular organelles, including mitochondria [18], endoplasmic reticulum, Golgi apparatus [19] and lipid droplets [20,21].

In our study, the DOFL compounds synthesized from the BODIPY scaffolds were screened using a high-throughput in vitro screening platform as mentioned in previous studies [22]. Compared to TOA, the DOFL approach was able to perform an unbiased screening by incubating BODIPY-based compounds with hPSCs to develop human pluripotency sensors.

From the BODIPY-based compound library, we discovered SHI5, which is highly selective to hPSCs. Previously, Im and colleagues discovered a mouse and human ESC-specific compound, which was named compound of designation yellow 1 (CDy1) [8]. This rosamine-based probe showed selective detection in the early stage of the reprogramming process and was also suitable for live-cell imaging. Compared with CDy1, SHI5 is strictly selective to hPSCs but not to mESCs, fibroblasts, or differentiated hPSCs [13].

Real-time cell imaging using fluorescence-molecules, compared with conventional methods of detecting PSCs in the reprogramming process, can be used for future application of the labeled cells because they do not require fixation of the PSCs or genetic modification of the parent cells [8]. SHI5 enables rapid, efficient, and selective monitoring of live-cells that gain pluripotency in the reprogramming process without any effect on their viability [13]. The DOFL approach is a powerful tool for developing fluorescent probes to monitor and

isolate PSCs in the reprogramming and differentiating processes, but it is noteworthy to understand the mechanism of the selective to PSCs [14].

Several studies have demonstrated specific target molecules of PSC-specific probes [8,12,13]. CDy1 is selectively localized to mitochondria within the mouse and human PSCs [8]. Hirata and colleagues have demonstrated that KP-1 is selective to the mitochondria of hPSCs due to the distinct efflux activity of ABC transporter in hPSCs [12]. SHI5 is rapidly internalized by Clathrin-Mediated Endocytosis (CME) and selectively localized to lipid droplets in hPSCs [13]. In previous studies, genetically modified CME has revealed a relationship between the endocytic activity and cell fate specification mechanism in hESCs [23,24]. Loss of CME by siRNA reduced the activity of alkaline phosphatase, which is a pluripotency marker, by altering the extracellular signal-regulated kinase signaling in ESCs [24]. Therefore, we assume that the early steps of CME in the cells that gain pluripotency during the reprogramming process may play a crucial role in the internalization of SHI5.

Conclusion

The development of PSC-specific imaging probes makes it possible to isolate and monitor live PSCs during the reprogramming or differentiation processes. For real-time imaging, the small molecules, such as probes or sensors should be biocompatible and permeable without disrupting cellular viability. In this paper, we discussed the efficiency of the DOFL approach to develop a highly selective pluripotency sensor for monitoring the live state of hPSCs. Therefore, the DOFL approach will be utilized for the development of cell fate-specific probes to understand the mechanism of the biological process, as well as to expedite clinical applications.

Acknowledgement

This work was supported by the Bio & Medical Technology Development Program of the National Research Foundation (NRF) funded by the Ministry of Science & ICT (Grant No. 2016M3A9B4919719 and Grant No. 2017M3A9C6033875) and Tech Incubator Program for Startup (TIPS) funded by the Ministry of SMEs and Startups (S2566811).

Conflicts of Interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

References

1. Takahashi K, Tanabe K, Ohnuki M, Narita M, Ichisaka T et al. (2007) Induction of pluripotent stem cells from adult human fibroblasts by defined factors. *Cell* 131: 861-872.
2. Ben-David U, Benvenisty N (2011) The tumorigenicity of human embryonic and induced pluripotent stem cells. *Nature Reviews Cancer* 11: 268-277.
3. Frampton JP, Tsuei M, White JB, Abraham AT, Takayama S (2015) Aqueous two-phase system-mediated antibody micropatterning enables multiplexed immunostaining of cell monolayers and tissues. *Biotechnol J* 10: 121-125.
4. Hotta A, Cheung AYL, Farra N, Vijayaragavan K, Séguin CA et al. (2009) Isolation of human iPS cells using EOS lentiviral vectors to select for pluripotency. *Nat Methods* 6: 370-376.

5. Mikkelsen TS, Hanna J, Zhang X, Ku M, Wernig M, et al. (2008) Dissecting direct reprogramming through integrative genomic analysis. *Nature* 454 : 49-55.
6. Domaille DW, Que EL, Chang CJ (2008) Synthetic fluorescent sensors for studying the cell biology of metals. *Nat Chem Biol* 4: 168-175.
7. Lee JS, Lee JO, Kang N, Ha HH, Chang YT (2015) Diversity-oriented approach for chemical biology. *Chem Rec* 15: 495-510.
8. Im CN, Kang NY, Ha HH, Bi X, Lee JJ, et al. (2010) A fluorescent rosamine compound selectively stains pluripotent stem cells. *Angew Chem Int Ed Engl* 49: 7497-7500.
9. Ghosh KK, Ha HH, Kang NY, Chandran Y, Chang YT (2011) Solid phase combinatorial synthesis of a xanthone library using click chemistry and its application to an embryonic stem cell probe. *Chem Commun (Camb)* 47: 7488-7490.
10. Lee SC, Kang NY, Park SJ, Yun SW, Chandran Y, et al. (2012) Development of a fluorescent chalcone library and its application in the discovery of a mouse embryonic stem cell probe. *Chem Commun (Camb)* 48: 6681-6683.
11. Chandran Y, Kang NY, Park SJ, Alamudi SH, Kim JY, et al. (2015) A highly selective fluorescent probe for direct detection and isolation of mouse embryonic stem cells. *Bioorg Med Chem Lett* 25: 4862-4865.
12. Hirata N, Nakagawa M, Fujibayashi Y, Yamauchi K, Murata A, et al. (2014) A chemical probe that labels human pluripotent stem cells. *Cell Rep* 6: 1165-1174.
13. Park MR, Nam D, Lee H, Chang YT, Zaehres H, et al. (2020) Direct monitoring of live human pluripotent stem cells by a highly selective pluripotency sensor. *Bioorg Med Chem Lett* 30: 127347.
14. Kang NY, Ha HH, Yun SW, Yu YH, Hang YT (2011) Diversity-driven chemical probe development for biomolecules: beyond hypothesis-driven approach. *Chem Soc Rev* 40: 3613-3626.
15. Cho SJ, Kim SY, Park SJ, Song N, Kwon HY, et al. (2016) Photodynamic Approach for Teratoma-Free Pluripotent Stem Cell Therapy Using CDy1 and Visible Light. *ACS Cent Sci* 2: 604-607.
16. Mao D, Sato SI, Qin Y, Hirata N, Katsuda H, et al. (2017) A Synthetic Hybrid Molecule for the Selective Removal of Human Pluripotent Stem Cells from Cell Mixtures. *Angew Chem Int Ed Engl* 56: 1765-1770.
17. Loudet A, Burgess K (2007) BODIPY dyes and their derivatives: syntheses and spectroscopic properties. *Chem Rev* 107: 4891-932.
18. Zhang S, Wu T, Fan J, Li Z, Jiang N, Wang J, et al. (2013) A BODIPY-based fluorescent dye for mitochondria in living cells, with low cytotoxicity and high photostability. *Org Biomol Chem* 11: 555-558.
19. Nusshold C, Uellen A, Bernhart E, Hammer A, Damm S, et al. (2013) Endocytosis and intracellular processing of BODIPY-sphingomyelin by murine CATH.a neurons. *Biochim Biophys Acta* 1831: 1665-16678.
20. Brasaemle DL, Rubin B, Harten IA, Gruia-Gray J, Kimmel AR, et al. (2000) Perilipin A increases triacylglycerol storage by decreasing the rate of triacylglycerol hydrolysis. *J Biol Chem* 275: 38486-38493.
21. Goetze PM, Freeman DA (1994) Factors underlying the variability of lipid droplet fluorescence in MA-10 Leydig tumor cells. *Cytometry* 17: 151-158.
22. Zhai D, Lee SC, Vendrell M, Leong LP, Chang YT (2012) Synthesis of a novel BODIPY library and its application in the discovery of a fructose sensor. *ACS Comb Sci* 14: 81-84.
23. Dambournet D, Sochacki KA, Cheng AT, Akamatsu M, Taraska JW, et al. (2018) Genome-edited human stem cells expressing fluorescently labeled endocytic markers allow quantitative analysis of clathrin-mediated endocytosis during differentiation. *J Cell Biol* 217: 3301-3311.
24. Narayana YV, Gadgil C, Mote RD, Rajan R, Subramanyam D (2019) Clathrin-Mediated Endocytosis Regulates a Balance between Opposing Signals to Maintain the Pluripotent State of Embryonic Stem Cells. *Stem Cell Reports* 12: 152-164.



- Advances In Industrial Biotechnology | ISSN: 2639-5665
- Advances In Microbiology Research | ISSN: 2689-694X
- Archives Of Surgery And Surgical Education | ISSN: 2689-3126
- Archives Of Urology
- Archives Of Zoological Studies | ISSN: 2640-7779
- Current Trends Medical And Biological Engineering
- International Journal Of Case Reports And Therapeutic Studies | ISSN: 2689-310X
- Journal Of Addiction & Addictive Disorders | ISSN: 2578-7276
- Journal Of Agronomy & Agricultural Science | ISSN: 2689-8292
- Journal Of AIDS Clinical Research & STDs | ISSN: 2572-7370
- Journal Of Alcoholism Drug Abuse & Substance Dependence | ISSN: 2572-9594
- Journal Of Allergy Disorders & Therapy | ISSN: 2470-749X
- Journal Of Alternative Complementary & Integrative Medicine | ISSN: 2470-7562
- Journal Of Alzheimers & Neurodegenerative Diseases | ISSN: 2572-9608
- Journal Of Anesthesia & Clinical Care | ISSN: 2378-8879
- Journal Of Angiology & Vascular Surgery | ISSN: 2572-7397
- Journal Of Animal Research & Veterinary Science | ISSN: 2639-3751
- Journal Of Aquaculture & Fisheries | ISSN: 2576-5523
- Journal Of Atmospheric & Earth Sciences | ISSN: 2689-8780
- Journal Of Biotech Research & Biochemistry
- Journal Of Brain & Neuroscience Research
- Journal Of Cancer Biology & Treatment | ISSN: 2470-7546
- Journal Of Cardiology Study & Research | ISSN: 2640-768X
- Journal Of Cell Biology & Cell Metabolism | ISSN: 2381-1943
- Journal Of Clinical Dermatology & Therapy | ISSN: 2378-8771
- Journal Of Clinical Immunology & Immunotherapy | ISSN: 2378-8844
- Journal Of Clinical Studies & Medical Case Reports | ISSN: 2378-8801
- Journal Of Community Medicine & Public Health Care | ISSN: 2381-1978
- Journal Of Cytology & Tissue Biology | ISSN: 2378-9107
- Journal Of Dairy Research & Technology | ISSN: 2688-9315
- Journal Of Dentistry Oral Health & Cosmesis | ISSN: 2473-6783
- Journal Of Diabetes & Metabolic Disorders | ISSN: 2381-201X
- Journal Of Emergency Medicine Trauma & Surgical Care | ISSN: 2378-8798
- Journal Of Environmental Science Current Research | ISSN: 2643-5020
- Journal Of Food Science & Nutrition | ISSN: 2470-1076
- Journal Of Forensic Legal & Investigative Sciences | ISSN: 2473-733X
- Journal Of Gastroenterology & Hepatology Research | ISSN: 2574-2566
- Journal Of Genetics & Genomic Sciences | ISSN: 2574-2485
- Journal Of Gerontology & Geriatric Medicine | ISSN: 2381-8662
- Journal Of Hematology Blood Transfusion & Disorders | ISSN: 2572-2999
- Journal Of Hospice & Palliative Medical Care
- Journal Of Human Endocrinology | ISSN: 2572-9640
- Journal Of Infectious & Non Infectious Diseases | ISSN: 2381-8654
- Journal Of Internal Medicine & Primary Healthcare | ISSN: 2574-2493
- Journal Of Light & Laser Current Trends
- Journal Of Medicine Study & Research | ISSN: 2639-5657
- Journal Of Modern Chemical Sciences
- Journal Of Nanotechnology Nanomedicine & Nanobiotechnology | ISSN: 2381-2044
- Journal Of Neonatology & Clinical Pediatrics | ISSN: 2378-878X
- Journal Of Nephrology & Renal Therapy | ISSN: 2473-7313
- Journal Of Non Invasive Vascular Investigation | ISSN: 2572-7400
- Journal Of Nuclear Medicine Radiology & Radiation Therapy | ISSN: 2572-7419
- Journal Of Obesity & Weight Loss | ISSN: 2473-7372
- Journal Of Ophthalmology & Clinical Research | ISSN: 2378-8887
- Journal Of Orthopedic Research & Physiotherapy | ISSN: 2381-2052
- Journal Of Otolaryngology Head & Neck Surgery | ISSN: 2573-010X
- Journal Of Pathology Clinical & Medical Research
- Journal Of Pharmacology Pharmaceutics & Pharmacovigilance | ISSN: 2639-5649
- Journal Of Physical Medicine Rehabilitation & Disabilities | ISSN: 2381-8670
- Journal Of Plant Science Current Research | ISSN: 2639-3743
- Journal Of Practical & Professional Nursing | ISSN: 2639-5681
- Journal Of Protein Research & Bioinformatics
- Journal Of Psychiatry Depression & Anxiety | ISSN: 2573-0150
- Journal Of Pulmonary Medicine & Respiratory Research | ISSN: 2573-0177
- Journal Of Reproductive Medicine Gynaecology & Obstetrics | ISSN: 2574-2574
- Journal Of Stem Cells Research Development & Therapy | ISSN: 2381-2060
- Journal Of Surgery Current Trends & Innovations | ISSN: 2578-7284
- Journal Of Toxicology Current Research | ISSN: 2639-3735
- Journal Of Translational Science And Research
- Journal Of Vaccines Research & Vaccination | ISSN: 2573-0193
- Journal Of Virology & Antivirals
- Sports Medicine And Injury Care Journal | ISSN: 2689-8829
- Trends In Anatomy & Physiology | ISSN: 2640-7752

Submit Your Manuscript: <https://www.heraldopenaccess.us/submit-manuscript>